

# TECHNICAL DATA SHEET



Type	DucoGrille Solid++ G30Z + options	
<b>DESCRIPTION</b>	Reinforced louvre grille with punched blades.	
<b>SHAPE OF BLADE</b>	30Z punched blades (P1) height 21mm x width 2,5mm	
<b>PITCH</b>	37,5 mm	
<b>FRAME WIDTH</b>	45 mm	
<b>EQUAL LEG OUTER FRAME</b>	15 mm	
<b>FRAME DEPTH</b>	42 mm	
<b>MIN. DIMENSIONS</b>	Width 200mm, Height 200mm. Exception on request.	
<b>REACTION TO FIRE</b>	A2-s1,d0 (EN13501-1)	
<b>MESH</b>	Aluminium extrusions are perforated and act as insect mesh	
<b>BURGLAR RESISTANCE CLASS</b>	Class 2 (EN 1627:2011 - EN1630:2011)	
<b>OPTIONS</b>	incl. extra drip tray on the back of the frame test result situation installed in wall	
<b>MATERIAL</b>	Aluminium : EN AW-6063 T66 (EN 573-3) Profile thickness : min. 1,5mm	
<b>SURFACE TREATMENT</b>	<ul style="list-style-type: none"> <li>- standard aluminium anodised (15-20µm) according Qualanod</li> <li>- polyester powder coated (60-80µm) according Qualicoat Seaside type A</li> <li>- specific RAL codes and/or textured paint on request</li> </ul>	
<b>VISUAL FREE AREA</b>	60% per meter of punching	
<b>PHYSICAL FREE AREA</b>	34%	
<b>AIR FLOW DATA</b>	(EN13030)	+ options
	Ce	0,216
	K-factor intake	21,43
	Cd	0,242
	K-factor exhaust	17,08
<b>WATER RESISTANCE</b>	(EN13030)	+ options
	v = 0 m/s	B
	v = 0,5 m/s	B
	v = 1 m/s	C
	v = 1.5 m/s	C
	v = 2 m/s	D
	v = 2.5 m/s	D
	v = 3 m/s	D
v = 3,5 m/s	D	
<b>IMPACT RESISTANCE</b>	EN13049	Class 5
	NF P03-802	Class H2/C2
<b>FALL-TROUGH PROTECTION</b>	B03-004	Class C4
	NEN-EN1991-1-1	Class A/B/F/G
	NF P01-013	Class A/B/D
	BS6180	Class XI

3

2

1

D

D

C


C

B

B

A

A

DucoGrille Solid++ **G30Z - P1 + Options**

Datum : 31/10/2023

Schaal : 1:2

**DUCO**  
Ventilation & Sun Control

Bedrijvenlaan 2 - 8630 VEURNE  
tel. 0032-58/330066 - fax.0032-58/330067  
email: info@duco.eu www.duco.eu

Deze tekening is eigendom van Duco Projects en mag niet gekopieerd  
noch getoond worden aan derden zonder schriftelijke toestemming

Tol. : ISO 2768-mK

Getekend : SDN/JHX

Mat. :

Ref nr. :

Formaat : A3



omtrek

gewicht

lakoppervl.

Tekening nr. :

mm

kg/m

dm²/m

DGS++-G30Z-P1 + Options

3

2

1