


# TECHNICAL DATA SHEET

## CO<sub>2</sub> Sensor



Optional component within DUCO's demand-controlled ventilation systems.

The CO<sub>2</sub> Sensor measures both the CO<sub>2</sub> content (an indicator of indoor climate) and the temperature in the living areas, thus controlling the ventilation system. The CO<sub>2</sub> room sensor is powered by 230VAC or 24VDC and communicates wirelessly ('RF') or wired ('Wired').

### Physical characteristics

<b>Item number + colour</b>	0000-4603 (Black) 0000-4604 (White)
<b>Width x Height x Depth (mm)</b>	69 x 69 x 55.5 (excl. cover plate) 83 x 83 x 55.5 (incl. cover plate)
<b>Weight</b>	182 grams
<b>Material</b>	Polycarbonate-ABS
<b>Display</b>	4 RGB LEDs
<b>Operation</b>	3 positions + automatic control
<b>Suitable for use with</b>	DucoBox Reno DucoBox Silent (Connect) DucoBox Focus DucoBox Energy

### Electrical characteristics

<b>Power supply + communication</b>	230VAC > wireless ('RF') 24VDC > Wired
<b>Peak power</b>	1,8 W
<b>CO<sub>2</sub> range</b>	300 - 2000 ppm
<b>CO<sub>2</sub> accuracy</b>	40 ppm +/- 5%
<b>Reverse polarity protection</b>	Graetz bridge
<b>IP class</b>	IP31

### Operating conditions

<b>Temperature</b>	0°C - 40°C
<b>Humidity</b>	Not water-resistant

